



Vendor: Fabral, Inc.

SOS#:

| | |
|------------------|-------|
| Vendor | 28906 |
| Panel | 89103 |
| Trim & Accessory | 89106 |

Minimum Order: \$500.00 retail. Orders less than \$500.00 are subject to extended lead times. Contact Customer Service for more information.

Associate Ordering Instructions: Prices listed are retail prices. Please confirm with Customer Service that the requested panel is available in the requested color. Lead times are listed at the bottom of each page and are dependent on the minimum order.

Fax: 800-901-3707
Phone: 800-681-2184
Email: lowes@fabral.com

Table of Contents

| <u>Page Title</u> | <u>Page</u> |
|--------------------------------------|--------------------|
| Features and Benefits | 4 |
| Ordering Information | 5 |
| Delivery Options | 5 |
| Cancellation & Return Policy | 5 |
| Estimating | 6 |
| Estimate Checklist | 6 |
| Trim Details | 7 |
| Profile Selection - Exposed Fastener | 8-10 |
| 5 Rib | 8 |
| Grandrib 3 | 8 |
| Mighti-Rib | 8 |
| 5V Crimp | 9 |
| 2 1/2" Corrugated | 9 |
| ProClad | 9 |
| StrongClad | 9 |
| Val Rib III | 10 |
| Delta Rib | 10 |
| Prime Rib | 10 |
| Profile Selection - Standing Seam | 11 |
| 1 1/2" SSR with Shadowlines | 11 |
| Horizon S | 11 |
| Climaguard | 11 |
| Horizon 16 | 11 |
| Ultra-Loc 16 | 11 |
| Available Colors | 12 |
| Available Colors by Panel | 13 |
| Panel Availability by State | 14 |

Features and Benefits

In addition to providing virtually maintenance-free protection from the elements, a Fabral metal roof adds lasting beauty in a wide variety of colors and styles.

Whether you desire a sleek contemporary look, a classic traditional look or a rustic look for your log cabin, Fabral has a roofing product to fit your needs.

Fabral metal roofing is:

- Ideal for residential, agricultural and light commercial applications.
- Available in more than a dozen colors.
- Available in easy to install exposed or concealed fastener panels and high performing standing seam panels.
- Durable, weather-resistant, and virtually maintenance free.
- Available in Energy Star certified colors to save you money on your cooling costs.
- Environmentally friendly - metal is recyclable and in many cases can be installed over your existing asphalt roof.

Ordering Information

Orders must have an assigned purchase order number. Fabral is not able to process any order until a purchase order number has been assigned.

All panels are sold and priced to the lineal inch but invoiced on a per piece basis.

Trim and flashings are sold, priced and invoiced by the piece.

Accessory items are sold, priced and invoiced by the unit of measure of the packaged item.

Minimum Order: \$500.00 retail. Orders less than \$500.00 are subject to extended lead times and will be charged a \$50.00 freight charge. Contact Customer Service for more information.

Associate Ordering Instructions: Prices listed are retail prices. Please confirm with Customer Service that the requested panel is available in the requested color. Lead times are listed below under delivery options and are dependent on the minimum order price.

SOS#:

| | |
|------------------|-------|
| Vendor | 28906 |
| Panel | 89103 |
| Trim & Accessory | 89106 |

Please fax orders to: 800-901-3707 **Call in orders to:** 800-681-2184

Email orders to: lowes@fabral.com

Delivery Options

Most Fabral products can be delivered within 7 - 10 business days.

Overnight service for some accessory items is available - consult Fabral for availability and additional freight charges.

All Fabral products are shipped via a covered flatbed truck. Please consult your Fabral Customer Service Rep for your store's schedule, specialty panel production, order cut-off and load days.

Cancellation & Return Policy

Special orders are manufactured to the customer's specifications and are ordered to exact length and color requested.

All special orders should be confirmed with the consumer before being placed with Fabral.

Fabral will, at the stores request, send panel and/or color samples. Please call Customer Service to place your order.

Order may not be cancelled after entering production.

Special orders **may not** be returned to Fabral. If there is an error in the shipment at the fault of Fabral, the order will be evaluated and corrected.

Estimating

- Choose your panel style and color from the catalog.
- Fill out an estimate form and provide a drawing with accurate measurements or architectural plans. Be sure to indicate whether you want jobsite delivery or in-store pick up.
- Take the completed form and plans to the Commercial Desk for a free estimate.
- All estimates will be faxed back to the originating Lowe's store.

Estimate Checklist

- Customer Contact Information
- Delivery Address
- Panel profile, gauge, color and/or finish
- Roof pitch (if multiple pitches, include each height and area)
- Eave height (if multiple heights, include each height and area)
- Ridge length (if multiple lengths, include each length and area)
- Eave overhang length (if multiple lengths, include each length and area)
- Hip and/or valley length (if multiple lengths, include each length and area)
- Outline measurements (outline measurements incomplete or not matching)
- Dormer information (provide specifics, number, shape and all measurements)

Trim Details

Explanation of Categories in Worksheet

Building Size:

Width = Dimension of the endwall (wall on the gable side)

Length = Dimension of sidewall (wall on the eave side)

Wall Height = Height from floor slab to bottom of trusses.

Roof Truss Package:

Indicate the pitch wanted. **5 Rib requires 2.5:12 min. pitch.**

Roof Type:



- Purlins: 2x4's running perpendicular to the trusses, max 24" on center spacing.
- OSB/Solid deck: Includes plywood and any solid deck material, including singles.

Overhang:

Indicate size of overhang. If there is no overhang, check "none".

Doors and Windows:

- Add the quantity wanted beside the desired door/window size.
- If the size wanted is not shown, write in the size and quantity beside "other".
- For sliding doors, please treat the two doors as a pair in size and quantity.
- Ex: (a pair of two 5x10 split slider doors = one 10x10 split slider)



Basics for Residential Installation

1. Determine the thickness and type of substrate to be used to support the metal roofing. **Solid decking is highly recommended for all residential applications (i.e., plywood, OSB).**
2. Refer to the Load-Span tables to select the proper fastener and spacing to meet loads on your structure. **Nails are NOT recommended for residential applications.**
3. Consult local building codes and restrictions to determine acceptable methods of construction for residential applications in your area.
4. Solid decking with 30# felt or Pro Master® underlayment for residential applications is recommended. Ice & water shield or similar self-adhesive membrane is recommended at all valleys, dormers, chimneys, transitions, skylights and other critical areas.
5. When re-roofing with metal panels over an existing shingle roof, 2x4 purlins or 1x4 furring strips run parallel with the ridge of the roof and must be securely fastened into the roof rafters or trusses.
6. Request Fabral's technical bulletins # 720 and # 721 for more details on residential roofing.

Profile Selection - Exposed Fastener

5 Rib



| Warranty | Gauge | Energy Star | Description/Applications |
|-------------------------|----------|-------------|--|
| 25 Year Finish Warranty | 29 gauge | | Light gauge panel with good color retention for residential, light commercial and agricultural applications. |

Grandrib 3®




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|--|
| Lifetime Finish Warranty | 29 gauge | | Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications. |

Please see page 12 for Energy Star Rated colors


26 Gauge Grandrib 3®




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 26 gauge | | Heavier gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications. Limited availability - additional freight may apply. |



MightiRib® PBR




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 26 gauge | | Heavier gauge galvalume panel with excellent color retention; perfect for light commercial applications. Heavy duty galvanizing makes this panel extra durable. |




Specifications and pricing herein subject to change without notice or obligation to make changes in products previously purchased.

Profile Selection - Exposed Fastener


5V Crimp




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|--|
| No Warranty | 29 gauge | | Galvanized metal panels; perfect for basic roofing applications. |
| Lifetime Finish Warranty | 26 gauge | | Heavier gauge galvalume panels. Limited availability - additional freight may apply. |



2 1/2" Corrugated




| Warranty | Gauge | Energy Star | Description/Applications |
|-------------|----------|-------------|--|
| No Warranty | 29 gauge | | Corrugated panels are available in a 2 1/2" style. |




ProClad




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 29 gauge | | ProClad panels are perfect for light gauge commercial and agricultural applications |



StrongClad




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|--|
| Lifetime Finish Warranty | 29 gauge | | StrongClad panels are perfect for light gauge commercial and agricultural applications |




Profile Selection - Exposed Fastener


Val Rib III




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|--|
| Lifetime Finish Warranty | 29 gauge | | Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications. |




Delta Rib




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|--|
| Lifetime Finish Warranty | 29 gauge | | Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications. |



Prime Rib




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|--|
| Lifetime Finish Warranty | 29 gauge | | Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications. |




Profile Selection - Standing Seam


1 1/2" SSR with Shadowlines




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 24 gauge | | Heaviest gauge residential panel with excellent color retention. A premium panel for a high-end look. |




Horizon S




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 26 gauge | | Light gauge panel with good color retention for residential applications. |




Climaguard™



| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 26 gauge | | Light gauge panel with good color retention for residential applications. |




Horizon 16




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 26 gauge | | Light gauge panel with good color retention for residential applications. |



Ultra-Loc 16




| Warranty | Gauge | Energy Star | Description/Applications |
|--------------------------|----------|-------------|---|
| Lifetime Finish Warranty | 26 gauge | | Light gauge panel with good color retention for residential applications. |




Available Colors

Enduracote® is a paint system that takes performance to the next level. Based on cutting edge resin technology, this system offers unbeatable durability and superior long-term performance.

- 10 layers of protection
- Unbeatable durability
- Superior long-term performance
- Low maintenance
- Many colors (offering varies by panel)
- Energy Star® offering
- Industry leading warranty



Brite White
(824/193)



White
(899/169)




Ivory
(883/180)



Light Stone
(887/181)



Tan
(855/192)



Cocoa Brown
(856/172)




Dark Brown
(859)



Antique Bronze
(854)



Hickory Moss
(870/179)



True Black
(882)



Caribbean Blue
(881/182)



Gallery Blue
(826)



Brick Red
(898/187)



Brite Red
(845)



Classic Burgundy
(853/156)



Evergreen
(875/176)



Patina Green
(893)



Hartford Green
(821)




Charcoal Gray
(851/157)




Light Gray
(889/178)



Bright Copper Penny
(939)



Acrylic Coated Galvalume
(110)



Plain Galvanized
(000)



All Fabral Enduracote Colors are Energy Star Approved

*Call to find out more about the current IRS Energy Star Tax Credit.

Colors on this page are as actual as allowed by printing process. Please make your final selection from an actual metal sample.

Available Colors by Panel

Exposed Fastener Panel Color Availability

| Color | Color # | 5 Rib 29 GA. | Grandrib 3 29 GA. | Grandrib 3 26 GA. | Mighti-Rib 26 GA. | 5V Crimp 26 GA. | Mighti-Rib 26 GA. | Val Rib III 29 GA. | ProClad/ StrongClad 29GA. | Prime Rib 29 GA. | Delta Rib 29 GA. |
|---------------------|----------|-----------------|----------------------|----------------------|----------------------|--------------------|----------------------|-----------------------|---------------------------------|---------------------|---------------------|
| Brite White | 824/193* | X | X | X | X | X | X | X | X | X | X |
| White | 899/169* | X | X | X | X | | X | X | X | | |
| Ivory | 883/180* | X | X | X | X | | X | X | X | X | X |
| Light Stone | 887/181* | X | X | X | X | | X | X | X | | |
| Tan | 855/192* | X | X | | X | | X | X | X | X | |
| Cocoa Brown | 856/172* | X | X | | X | | X | X | X | X | X |
| Dark Brown | 859 | | X | | | | | X | X | | X |
| Antique Bronze | 854 | | X | | X | X | X | X | X | | |
| Caribbean Blue | 881/182* | X | X | X | X | | X | X | X | | |
| Gallery Blue | 826 | | X | | X | | X | X | X | | |
| Brick Red | 898/187* | X | X | X | X | X | X | X | X | X | X |
| Brite Red | 845 | | X | | | | | X | X | | |
| Classic Burgundy | 853/156* | X | X | | | | | X | X | | |
| Hickory Moss | 870/179* | X | X | X | X | | X | X | X | | X |
| Patina Green | 893 | | X | | | | | X | X | | |
| Evergreen | 875/176* | X | X | X | X | X | X | X | X | X | X |
| Light Gray | 889/178* | X | X | X | X | | X | X | X | X | X |
| Charcoal Gray | 851/157* | X | X | X | X | X | X | X | X | X | |
| True Black | 882 | | X | | | | | X | X | X | |
| Hartford Green | 821 | | X | | X | | X | X | X | | X |
| Bright Copper Penny | 939 | | X | | | X | | X | | | |

* 800 series numbers reference the Enduracote Warranty paint color code; 100 series numbers reference the 25-year paint color code

Standing Seam Panel Color Availability

| Color | Color # | I 1/2" SSR 24 GA. | Horizon S 26 GA. | Climaguard 26 GA. | Horizon I6 26 GA. | Ultra-Loc I6 26 GA. |
|--------------------------|---------|----------------------|---------------------|----------------------|----------------------|------------------------|
| Brite White | 824 | | | | | |
| White | 899 | X | | X | X | X |
| Ivory | 883 | | | | | |
| Light Stone | 887 | | | | | |
| Tan | 855 | | | | | |
| Cocoa Brown | 856 | | | | | |
| Dark Brown | 859 | | | | | |
| Antique Bronze | 854 | X | X | X | X | X |
| Caribbean Blue | 881 | X | | X | X | X |
| Gallery Blue | 826 | | | | | |
| Brick Red | 898 | X | X | X | X | X |
| Brite Red | 845 | | | | | |
| Classic Burgundy | 853 | X | | X | X | X |
| Hickory Moss | 870 | X | | | | |
| Patina Green | 893 | | | | | |
| Evergreen | 875 | X | X | X | X | X |
| Light Gray | 889 | | | | X | X |
| Charcoal Gray | 851 | X | X | X | X | X |
| True Black | 882 | X | X | X | | |
| Hartford Green | 821 | | | | X | X |
| Bright Copper Penny | 939 | X | X | | X | X |
| Acrylic Coated Galvalume | 110 | X | X | X | | |

Panel Availability by State

| Fabral Facility | Fabral Service Area | Fabral Facility | Fabral Service Area |
|---|---|---|---|
| <u>5 Rib</u> | | <u>1-1/2" SSR with Shadowlines</u> | |
| Tifton, GA | AL, FL, GA, NC, SC and TN | Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH |
| Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH | <u>Horizon S</u> | |
| Salem, OR/Spokane, WA | ID, OR, MT, Northern NV, WA, and Northern CA | Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH |
| Gridley, IL | IA, IL, IN, KY, MI, Northern MO, and parts of OH | <u>Horizon 16/Ultra Loc 16</u> | |
| Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX | Salem, OR/Spokane, WA | ID, OR, MT, Northern NV, WA, and Northern CA |
| Cedar City, UT | AZ, CO, NM, NV, UT, and Southern CA | Cedar City, UT | AZ, CO, NM, NV, UT, and Southern CA |
| St. Joseph, MN | ND, SD, MN, NE | <u>Climaguard</u> | |
| Marshfield, WI | WI | Tifton, GA | AL, FL, GA, NC, SC and TN |
| <u>29 Gauge Grandrib 3</u> | | St. Joseph, MN | ND, SD, MN and NE |
| Tifton, GA | AL, FL, GA, NC, SC and TN | <u>26 Gauge Grandrib 3</u> | |
| Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH | Tifton, GA | AL, FL, GA, NC, SC and TN |
| Salem, OR/Spokane, WA | ID, OR, MT, Northern NV, WA, and Northern CA | Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH |
| Gridley, IL | IL, IN, KY, MI, MO, and parts of OH | Gridley, IL | IL, IN, KY, MI, MO, and parts of OH |
| Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX | Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX |
| Cedar City, UT | AZ, CO, NM, NV, UT, and Southern CA | Cedar City, UT | AZ, CO, NM, NV, UT, and Southern CA |
| St. Joseph, MN | ND, SD, MN, NE | <u>5V Crimp 29 Gauge</u> | |
| Marshfield, WI | WI | Tifton, GA | AL, FL, GA, NC, SC and TN |
| <u>MightiRib PBR / 2-1/2" Corrugated</u> | | Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH |
| Tifton, GA | AL, FL, GA, NC, SC and TN | Gridley, IL | IL, IN, KY, MI, MO, and parts of OH |
| Lancaster, PA | CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH | Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX |
| Salem, OR/Spokane, WA | ID, OR, MT, Northern NV, WA, and Northern CA | Cedar City, UT | AZ, CO, NM, NV, UT, and Southern CA |
| Gridley, IL | IL, IN, KY, MI, MO, and parts of OH | <u>5V Crimp 26 Gauge</u> | |
| Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX | Tifton, GA | AL, FL, GA, NC, SC and TN |
| Cedar City, UT | AZ, CO, NM, NV, UT, and Southern CA | Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX |
| <u>ProClad</u> | | <u>Prime Rib</u> | |
| Gridley, IL | IL, IN, KY, MI, MO, and parts of OH | St. Joseph, MN | ND, SD, MN and NE |
| Idabel, OK | AR, KS, LA, Southern MO, MS, OK, and TX | | |
| <u>StrongClad</u> | | | |
| Tifton, GA | AL, FL, GA, NC, SC and TN | | |

The states listed reflect standard lead times. All other states require extended lead times. Please contact Customer Service for availability specifics at 800-681-2184 or lowes@fabral.com.



Vendor #28906
98-32-849
6/11