



Vendor: Fabral, Inc.

SOS#:

Vendor	28906
Panel	89103
Trim & Accessory	89106

Minimum Order: \$500.00 retail. Orders less than \$500.00 are subject to extended lead times. Contact Customer Service for more information.

Associate Ordering Instructions: Prices listed are retail prices. Please confirm with Customer Service that the requested panel is available in the requested color. Lead times are listed at the bottom of each page and are dependent on the minimum order.

Fax: 800-901-3707
Phone: 800-681-2184
Email: lowes@fabral.com

Table of Contents

<u>Page Title</u>	<u>Page</u>
Features and Benefits	4
Ordering Information	5
Delivery Options	5
Cancellation & Return Policy	5
Estimating	6
Estimate Checklist	6
Trim Details	7
Profile Selection - Exposed Fastener	8-10
5 Rib	8
Grandrib 3	8
Mighti-Rib	8
5V Crimp	9
2 1/2" Corrugated	9
ProClad	9
StrongClad	9
Val Rib III	10
Delta Rib	10
Prime Rib	10
Profile Selection - Standing Seam	11
1 1/2" SSR with Shadowlines	11
Horizon S	11
Climaguard	11
Horizon 16	11
Ultra-Loc 16	11
Available Colors	12
Available Colors by Panel	13
Panel Availability by State	14

Features and Benefits

In addition to providing virtually maintenance-free protection from the elements, a Fabral metal roof adds lasting beauty in a wide variety of colors and styles.

Whether you desire a sleek contemporary look, a classic traditional look or a rustic look for your log cabin, Fabral has a roofing product to fit your needs.

Fabral metal roofing is:

- Ideal for residential, agricultural and light commercial applications.
- Available in more than a dozen colors.
- Available in easy to install exposed or concealed fastener panels and high performing standing seam panels.
- Durable, weather-resistant, and virtually maintenance free.
- Available in Energy Star certified colors to save you money on your cooling costs.
- Environmentally friendly - metal is recyclable and in many cases can be installed over your existing asphalt roof.

Ordering Information

Orders must have an assigned purchase order number. Fabral is not able to process any order until a purchase order number has been assigned.

All panels are sold and priced to the lineal inch but invoiced on a per piece basis.

Trim and flashings are sold, priced and invoiced by the piece.

Accessory items are sold, priced and invoiced by the unit of measure of the packaged item.

Minimum Order: \$500.00 retail. Orders less than \$500.00 are subject to extended lead times and will be charged a \$50.00 freight charge. Contact Customer Service for more information.

Associate Ordering Instructions: Prices listed are retail prices. Please confirm with Customer Service that the requested panel is available in the requested color. Lead times are listed below under delivery options and are dependent on the minimum order price.

SOS#:

Vendor	28906
Panel	89103
Trim & Accessory	89106

Please fax orders to: 800-901-3707 **Call in orders to:** 800-681-2184

Email orders to: lowes@fabral.com

Delivery Options

Most Fabral products can be delivered within 7 - 10 business days.

Overnight service for some accessory items is available - consult Fabral for availability and additional freight charges.

All Fabral products are shipped via a covered flatbed truck. Please consult your Fabral Customer Service Rep for your store's schedule, specialty panel production, order cut-off and load days.

Cancellation & Return Policy

Special orders are manufactured to the customer's specifications and are ordered to exact length and color requested.

All special orders should be confirmed with the consumer before being placed with Fabral.

Fabral will, at the stores request, send panel and/or color samples. Please call Customer Service to place your order.

Order may not be cancelled after entering production.

Special orders **may not** be returned to Fabral. If there is an error in the shipment at the fault of Fabral, the order will be evaluated and corrected.

Estimating

- Choose your panel style and color from the catalog.
- Fill out an estimate form and provide a drawing with accurate measurements or architectural plans. Be sure to indicate whether you want jobsite delivery or in-store pick up.
- Take the completed form and plans to the Commercial Desk for a free estimate.
- All estimates will be faxed back to the originating Lowe's store.

Estimate Checklist

- Customer Contact Information
- Delivery Address
- Panel profile, gauge, color and/or finish
- Roof pitch (if multiple pitches, include each height and area)
- Eave height (if multiple heights, include each height and area)
- Ridge length (if multiple lengths, include each length and area)
- Eave overhang length (if multiple lengths, include each length and area)
- Hip and/or valley length (if multiple lengths, include each length and area)
- Outline measurements (outline measurements incomplete or not matching)
- Dormer information (provide specifics, number, shape and all measurements)

Trim Details

Explanation of Categories in Worksheet

Building Size:

Width = Dimension of the endwall (wall on the gable side)

Length = Dimension of sidewall (wall on the eave side)

Wall Height = Height from floor slab to bottom of trusses.

Roof Truss Package:

Indicate the pitch wanted. **5 Rib requires 2.5:12 min. pitch.**

Roof Type:



- Purlins: 2x4's running perpendicular to the trusses, max 24" on center spacing.
- OSB/Solid deck: Includes plywood and any solid deck material, including singles.

Overhang:

Indicate size of overhang. If there is no overhang, check "none".

Doors and Windows:

- Add the quantity wanted beside the desired door/window size.
- If the size wanted is not shown, write in the size and quantity beside "other".
- For sliding doors, please treat the two doors as a pair in size and quantity.
- Ex: (a pair of two 5x10 split slider doors = one 10x10 split slider)



Basics for Residential Installation

1. Determine the thickness and type of substrate to be used to support the metal roofing. **Solid decking is highly recommended for all residential applications (i.e., plywood, OSB).**
2. Refer to the Load-Span tables to select the proper fastener and spacing to meet loads on your structure. **Nails are NOT recommended for residential applications.**
3. Consult local building codes and restrictions to determine acceptable methods of construction for residential applications in your area.
4. Solid decking with 30# felt or Pro Master® underlayment for residential applications is recommended. Ice & water shield or similar self-adhesive membrane is recommended at all valleys, dormers, chimneys, transitions, skylights and other critical areas.
5. When re-roofing with metal panels over an existing shingle roof, 2x4 purlins or 1x4 furring strips run parallel with the ridge of the roof and must be securely fastened into the roof rafters or trusses.
6. Request Fabral's technical bulletins # 720 and # 721 for more details on residential roofing.

Profile Selection - Exposed Fastener

5 Rib



Warranty	Gauge	Energy Star	Description/Applications
25 Year Finish Warranty	29 gauge		Light gauge panel with good color retention for residential, light commercial and agricultural applications.

Grandrib 3®




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	29 gauge		Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications.

Please see page 12 for Energy Star Rated colors


26 Gauge Grandrib 3®




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	26 gauge		Heavier gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications. Limited availability - additional freight may apply.



MightiRib® PBR




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	26 gauge		Heavier gauge galvalume panel with excellent color retention; perfect for light commercial applications. Heavy duty galvanizing makes this panel extra durable.




Specifications and pricing herein subject to change without notice or obligation to make changes in products previously purchased.

Profile Selection - Exposed Fastener


5V Crimp




Warranty	Gauge	Energy Star	Description/Applications
No Warranty	29 gauge		Galvanized metal panels; perfect for basic roofing applications.
Lifetime Finish Warranty	26 gauge		Heavier gauge galvalume panels. Limited availability - additional freight may apply.



2 1/2" Corrugated




Warranty	Gauge	Energy Star	Description/Applications
No Warranty	29 gauge		Corrugated panels are available in a 2 1/2" style.




ProClad




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	29 gauge		ProClad panels are perfect for light gauge commercial and agricultural applications



StrongClad




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	29 gauge		StrongClad panels are perfect for light gauge commercial and agricultural applications




Profile Selection - Exposed Fastener


Val Rib III




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	29 gauge		Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications.




Delta Rib




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	29 gauge		Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications.



Prime Rib




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	29 gauge		Light gauge panel with excellent color retention; perfect for residential, light commercial and agricultural applications.




Profile Selection - Standing Seam


1 1/2" SSR with Shadowlines



Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	24 gauge		Heaviest gauge residential panel with excellent color retention. A premium panel for a high-end look.




Horizon S




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	26 gauge		Light gauge panel with good color retention for residential applications.




Climaguard™



Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	26 gauge		Light gauge panel with good color retention for residential applications.




Horizon 16




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	26 gauge		Light gauge panel with good color retention for residential applications.



Ultra-Loc 16




Warranty	Gauge	Energy Star	Description/Applications
Lifetime Finish Warranty	26 gauge		Light gauge panel with good color retention for residential applications.




Available Colors

Enduracote® is a paint system that takes performance to the next level. Based on cutting edge resin technology, this system offers unbeatable durability and superior long-term performance.


- 10 layers of protection
- Unbeatable durability
- Superior long-term performance
- Low maintenance
- Many colors (offering varies by panel)
- Energy Star® offering
- Industry leading warranty



Brite White
(824/193)



White
(899/169)



Ivory
(883/180)



Light Stone
(887/181)



Tan
(855/192)



Cocoa Brown
(856/172)




Dark Brown
(859)



Antique Bronze
(854)



Hickory Moss
(870/179)



True Black
(882)



Caribbean Blue
(881/182)



Gallery Blue
(826)



Brick Red
(898/187)



Brite Red
(845)



Classic Burgundy
(853/156)



Evergreen
(875/176)



Patina Green
(893)



Hartford Green
(821)




Charcoal Gray
(851/157)




Light Gray
(889/178)



Bright Copper Penny
(939)



Acrylic Coated Galvalume
(110)



Plain Galvanized
(000)



All Fabral Enduracote Colors are Energy Star Approved

*Call to find out more about the current IRS Energy Star Tax Credit.

Colors on this page are as actual as allowed by printing process. Please make your final selection from an actual metal sample.

Available Colors by Panel

Exposed Fastener Panel Color Availability

Color	Color #	5 Rib 29 GA.	Grandrib 3 29 GA.	Grandrib 3 26 GA.	Mighti-Rib 26 GA.	5V Crimp 26 GA.	Mighti-Rib 26 GA.	Val Rib III 29 GA.	ProClad/ StrongClad 29GA.	Prime Rib 29 GA.	Delta Rib 29 GA.
Brite White	824/193*	X	X	X	X	X	X	X	X	X	X
White	899/169*	X	X	X	X		X	X	X		
Ivory	883/180*	X	X	X	X		X	X	X	X	X
Light Stone	887/181*	X	X	X	X		X	X	X		
Tan	855/192*	X	X		X		X	X	X	X	
Cocoa Brown	856/172*	X	X		X		X	X	X	X	X
Dark Brown	859		X					X	X		X
Antique Bronze	854		X		X	X	X	X	X		
Caribbean Blue	881/182*	X	X	X	X		X	X	X		
Gallery Blue	826		X		X		X	X	X		
Brick Red	898/187*	X	X	X	X	X	X	X	X	X	X
Brite Red	845		X					X	X		
Classic Burgundy	853/156*	X	X					X	X		
Hickory Moss	870/179*	X	X	X	X		X	X	X		X
Patina Green	893		X					X	X		
Evergreen	875/176*	X	X	X	X	X	X	X	X	X	X
Light Gray	889/178*	X	X	X	X		X	X	X	X	X
Charcoal Gray	851/157*	X	X	X	X	X	X	X	X	X	
True Black	882		X					X	X	X	
Hartford Green	821		X		X		X	X	X		X
Bright Copper Penny	939		X			X		X			

* 800 series numbers reference the Enduracote Warranty paint color code; 100 series numbers reference the 25-year paint color code

Standing Seam Panel Color Availability

Color	Color #	I 1/2" SSR 24 GA.	Horizon S 26 GA.	Climaguard 26 GA.	Horizon I6 26 GA.	Ultra-Loc I6 26 GA.
Brite White	824					
White	899	X		X	X	X
Ivory	883					
Light Stone	887					
Tan	855					
Cocoa Brown	856					
Dark Brown	859					
Antique Bronze	854	X	X	X	X	X
Caribbean Blue	881	X		X	X	X
Gallery Blue	826					
Brick Red	898	X	X	X	X	X
Brite Red	845					
Classic Burgundy	853	X		X	X	X
Hickory Moss	870	X				
Patina Green	893					
Evergreen	875	X	X	X	X	X
Light Gray	889				X	X
Charcoal Gray	851	X	X	X	X	X
True Black	882	X	X	X		
Hartford Green	821				X	X
Bright Copper Penny	939	X	X		X	X
Acrylic Coated Galvalume	110	X	X	X		

Panel Availability by State

Fabral Facility	Fabral Service Area	Fabral Facility	Fabral Service Area
<u>5 Rib</u>		<u>1-1/2" SSR with Shadowlines</u>	
Tifton, GA	AL, FL, GA, NC, SC and TN	Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH
Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH	<u>Horizon S</u>	
Salem, OR/Spokane, WA	ID, OR, MT, Northern NV, WA, and Northern CA	Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH
Gridley, IL	IA, IL, IN, KY, MI, Northern MO, and parts of OH	<u>Horizon 16/Ultra Loc 16</u>	
Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX	Salem, OR/Spokane, WA	ID, OR, MT, Northern NV, WA, and Northern CA
Cedar City, UT	AZ, CO, NM, NV, UT, and Southern CA	Cedar City, UT	AZ, CO, NM, NV, UT, and Southern CA
St. Joseph, MN	ND, SD, MN, NE	<u>Climaguard</u>	
Marshfield, WI	WI	Tifton, GA	AL, FL, GA, NC, SC and TN
<u>29 Gauge Grandrib 3</u>		St. Joseph, MN	ND, SD, MN and NE
Tifton, GA	AL, FL, GA, NC, SC and TN	<u>26 Gauge Grandrib 3</u>	
Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH	Tifton, GA	AL, FL, GA, NC, SC and TN
Salem, OR/Spokane, WA	ID, OR, MT, Northern NV, WA, and Northern CA	Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH
Gridley, IL	IL, IN, KY, MI, MO, and parts of OH	Gridley, IL	IL, IN, KY, MI, MO, and parts of OH
Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX	Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX
Cedar City, UT	AZ, CO, NM, NV, UT, and Southern CA	Cedar City, UT	AZ, CO, NM, NV, UT, and Southern CA
St. Joseph, MN	ND, SD, MN, NE	<u>5V Crimp 29 Gauge</u>	
Marshfield, WI	WI	Tifton, GA	AL, FL, GA, NC, SC and TN
<u>MightiRib PBR / 2-1/2" Corrugated</u>		Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH
Tifton, GA	AL, FL, GA, NC, SC and TN	Gridley, IL	IL, IN, KY, MI, MO, and parts of OH
Lancaster, PA	CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV, and parts of OH	Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX
Salem, OR/Spokane, WA	ID, OR, MT, Northern NV, WA, and Northern CA	Cedar City, UT	AZ, CO, NM, NV, UT, and Southern CA
Gridley, IL	IL, IN, KY, MI, MO, and parts of OH	<u>5V Crimp 26 Gauge</u>	
Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX	Tifton, GA	AL, FL, GA, NC, SC and TN
Cedar City, UT	AZ, CO, NM, NV, UT, and Southern CA	Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX
<u>ProClad</u>		<u>Prime Rib</u>	
Gridley, IL	IL, IN, KY, MI, MO, and parts of OH	St. Joseph, MN	ND, SD, MN and NE
Idabel, OK	AR, KS, LA, Southern MO, MS, OK, and TX		
<u>StrongClad</u>			
Tifton, GA	AL, FL, GA, NC, SC and TN		

The states listed reflect standard lead times. All other states require extended lead times. Please contact Customer Service for availability specifics at 800-681-2184 or lowes@fabral.com.



Vendor #28906
98-32-849
6/11